Airfield Models

Spring Hill, Florida USA webmaster@airfieldmodels.com



2022 Price List

Magnetic Fixture System II Set, Small, Birch Plywood	\$110.00
Magnetic Fixture System II Set, Small/Medium, Birch Plywood	\$168.50
Magnetic Fixture System II Set, Medium, Birch Plywood	\$189.50
Magnetic Fixture System II Set, Standard, Birch Plywood	\$252.50
Magnetic Fixture System II Set, Large, Birch Plywood	\$320.75
Magnetic Fixture System II Set, Small, Birch Plywood, No Magnets	\$80.00
Magnetic Fixture System II Set, Small/Medium, Birch Plywood, No Magnets	\$125.75
Magnetic Fixture System II Set, Medium, Birch Plywood, No Magnets	\$140.25
Magnetic Fixture System II Set, Standard, Birch Plywood, No Magnets	\$195.00
Magnetic Fixture System II Set, Large, Birch Plywood, No Magnets	\$257.25
Fixture, 1-1/2" 4-Magnet Assembly, Birch Plywood (1 Pair)	\$10.75
Fixture, 2-1/2" 4-Magnet Assembly, Birch Plywood (1 Pair)	\$12.25
Fixture, 3-1/2" 4-Magnet Assembly, Birch Plywood (1 Pair)	\$13.75
Fixture, 5-1/2" 4-Magnet Assembly, Birch Plywood (1 Pair)	\$16.75
Fixture, 7-1/2" 6-Magnet Assembly, Birch Plywood (1 Pair)	\$22.25
Fixture, 7-1/2" 6-Magnet Assembly w/5" Extensions, Birch Plywood (1 Pair)	\$40.50
Fixture Extension Assembly, 5", Birch Plywood (1 Pair)	\$20.25
Fixture, 1-1/2" 4-Magnet Assembly, Birch Plywood (1 Pair), No Magnets	\$6.25
Fixture, 2-1/2" 4-Magnet Assembly, Birch Plywood (1 Pair), No Magnets	\$7.75
Fixture, 3-1/2" 4-Magnet Assembly, Birch Plywood (1 Pair), No Magnets	\$9.25
Fixture, 5-1/2" 4-Magnet Assembly, Birch Plywood (1 Pair), No Magnets	\$12.25
Fixture, 7-1/2" 6-Magnet Assembly, Birch Plywood (1 Pair), No Magnets	\$15.50
Fixture, 7-1/2" 6-Magnet Assembly w/5" Extensions, Birch Plywood (1 Pair), No Magnets	\$34.00
Vertical Press Assembly, Hardwood (1 Pair)	\$15.75
Face Clamp Assembly, Maple (1 Pair)	\$18.00
Latch Magnet Assembly, 20 Sets	\$21.75
Latch Magnet Assembly, 50 Sets	\$50.50
Latch Magnet Assembly, 100 Sets	\$99.00
Latch Magnet Assembly, 20 Sets (With Fixture Set Order)	\$19.50
Latch Magnet Assembly, 50 Sets (With Fixture Set Order)	\$45.50
Latch Magnet Assembly, 100 Sets (With Fixture Set Order)	\$89.00
Vertical Press Mounting Hardware (Mounts 4 Vertical Presses)	\$3.00
Magnet Mounting Hardware (Six 4-Magnet or Four 6-Magnet Fixtures)	\$3.00
Thumb Screw, 1-3/4", Brass (1 Pair)	\$5.00
Sanding Block, 180/220 Dual-Grit	\$5.50

Product Contents

Magnetic Fixture System II Set, Small, Birch Plywood

- (4) Clamp Pad, 5/8" x 7/8", Hardwood
- (6) Fixture, 1-1/2" 4-Magnet Birch Plywood
- (4) Fixture, 2-1/2" 4-Magnet Birch Plywood
- (4) Fixture, 3-1/2" 4-Magnet Birch Plywood
- (1) Hex Key, 7/64" Black Oxide Steel
- (1) Instructions, Magnetic Fixture System II
- (56) Latch Magnet Assembly
- (30) Nut, 10-24 Hex, Zinc Plated Steel
- (8) Nut, 6-32 Hex, Black Oxide Steel
- (1) Sanding Block, 180/220 Dual-Grit
- (30) Screw, 10-24 x 1" Machine, Pan Head Phillips, Zinc Plated Steel
- (4) Screw, 10-24 x 1-5/8" Machine, Hex Head, Black Oxide Steel
- (4) Screw, 10-24 x 1-5/8" Machine, Pan Head Phillips, Zinc Plated Steel
- (2) Screw, 10-24 x 2-1/2" Machine, Pan Head Phillips, Zinc Plated Steel
- (8) Screw, 6-32 x 5/8" Machine, Socket Cap Black Oxide Steel
- (4) Vertical Press, Hardwood
- (16) Washer, Flat #6, Black Oxide Steel

Magnetic Fixture System II Set, Small/Medium, Birch Plywood

- (6) Clamp Pad, 5/8" x 7/8", Hardwood
- (6) Fixture, 1-1/2" 4-Magnet Birch Plywood
- (6) Fixture, 2-1/2" 4-Magnet Birch Plywood
- (4) Fixture, 3-1/2" 4-Magnet Birch Plywood
- (4) Fixture, 5-1/2" 4-Magnet Birch Plywood
- (1) Hex Key, 7/64" Black Oxide Steel
- (1) Instructions, Magnetic Fixture System II
- (80) Latch Magnet Assembly
- (44) Nut, 10-24 Hex, Zinc Plated Steel
- (12) Nut, 6-32 Hex, Black Oxide Steel
- (1) Sanding Block, 180/220 Dual-Grit
- (44) Screw, 10-24 x 1" Machine, Pan Head Phillips, Zinc Plated Steel
- (6) Screw, 10-24 x 1-5/8" Machine, Hex Head, Black Oxide Steel
- (4) Screw, 10-24 x 1-5/8" Machine, Pan Head Phillips, Zinc Plated Steel
- (2) Screw, 10-24 x 2-1/2" Machine, Pan Head Phillips, Zinc Plated Steel
- (12) Screw, 6-32 x 5/8" Machine, Socket Cap Black Oxide Steel
- (6) Vertical Press, Hardwood
- (24) Washer, Flat #6, Black Oxide Steel

Magnetic Fixture System II Set, Medium, Birch Plywood

- (6) Clamp Pad, 5/8" x 7/8", Hardwood
- (6) Fixture, 1-1/2" 4-Magnet Birch Plywood
- (6) Fixture, 2-1/2" 4-Magnet Birch Plywood
- (4) Fixture, 3-1/2" 4-Magnet Birch Plywood
- (4) Fixture, 5-1/2" 4-Magnet Birch Plywood
- (2) Fixture, 7-1/2" 6-Magnet Birch Plywood
- (1) Hex Key, 7/64" Black Oxide Steel
- (1) Instructions, Magnetic Fixture System II
- (92) Latch Magnet Assembly
- (48) Nut, 10-24 Hex, Zinc Plated Steel
- (12) Nut, 6-32 Hex, Black Oxide Steel
- (1) Sanding Block, 180/220 Dual-Grit
- (48) Screw, 10-24 x 1" Machine, Pan Head Phillips, Zinc Plated Steel
- (6) Screw, 10-24 x 1-5/8" Machine, Hex Head, Black Oxide Steel
- (4) Screw, 10-24 x 1-5/8" Machine, Pan Head Phillips, Zinc Plated Steel
- (2) Screw, 10-24 x 2-1/2" Machine, Pan Head Phillips, Zinc Plated Steel
- (12) Screw, 6-32 x 5/8" Machine, Socket Cap Black Oxide Steel
- (6) Vertical Press, Hardwood
- (24) Washer, Flat #6, Black Oxide Steel

Magnetic Fixture System II Set, Standard, Birch Plywood

- (8) Clamp Pad, 5/8" x 7/8", Hardwood
- (2) Fixture Extension, 5" Plywood
- (6) Fixture, 1-1/2" 4-Magnet Birch Plywood
- (4) Fixture, 2-1/2" 4-Magnet Birch Plywood
- (4) Fixture, 3-1/2" 4-Magnet Birch Plywood
- (4) Fixture, 5-1/2" 4-Magnet Birch Plywood
- (6) Fixture, 7-1/2" 6-Magnet Birch Plywood
- (1) Hex Key, 7/64" Black Oxide Steel
- (1) Instructions, Magnetic Fixture System II
- (108) Latch Magnet Assembly
- (56) Nut, 10-24 Hex, Zinc Plated Steel
- (24) Nut, 6-32 Hex, Black Oxide Steel
- (1) Sanding Block, 180/220 Dual-Grit
- (56) Screw, 10-24 x 1" Machine, Pan Head Phillips, Zinc Plated Steel
- (8) Screw, 10-24 x 1-5/8" Machine, Hex Head, Black Oxide Steel
- (4) Screw, 10-24 x 1-5/8" Machine, Pan Head Phillips, Zinc Plated Steel
- (2) Screw, 10-24 x 2-1/2" Machine, Pan Head Phillips, Zinc Plated Steel
- (4) Screw, 6-32 x 3/4" Machine, Socket Cap, Black Oxide Steel
- (24) Screw, 6-32 x 5/8" Machine, Socket Cap Black Oxide Steel
- (8) Vertical Press, Hardwood
- (48) Washer, Flat #6, Black Oxide Steel

Magnetic Fixture System II Set, Large, Birch Plywood

- (12) Clamp Pad, 5/8" x 7/8", Hardwood
- (4) Fixture Extension, 5" Plywood
- (6) Fixture, 1-1/2" 4-Magnet Birch Plywood
- (4) Fixture, 2-1/2" 4-Magnet Birch Plywood
- (4) Fixture, 3-1/2" 4-Magnet Birch Plywood
- (4) Fixture, 5-1/2" 4-Magnet Birch Plywood
- (8) Fixture, 7-1/2" 6-Magnet Birch Plywood
- (1) Hex Key, 7/64" Black Oxide Steel
- (1) Instructions, Magnetic Fixture System II
- (120) Latch Magnet Assembly
- (64) Nut, 10-24 Hex, Zinc Plated Steel
- (40) Nut, 6-32 Hex, Black Oxide Steel
- (1) Sanding Block, 180/220 Dual-Grit
- (64) Screw, 10-24 x 1" Machine, Pan Head Phillips, Zinc Plated Steel
- (12) Screw, 10-24 x 1-5/8" Machine, Hex Head, Black Oxide Steel
- (4) Screw, 10-24 x 1-5/8" Machine, Pan Head Phillips, Zinc Plated Steel
- (2) Screw, 10-24 x 2-1/2" Machine, Pan Head Phillips, Zinc Plated Steel
- (8) Screw, 6-32 x 3/4" Machine, Socket Cap, Black Oxide Steel
- (40) Screw, 6-32 x 5/8" Machine, Socket Cap Black Oxide Steel
- (12) Vertical Press, Hardwood
- (80) Washer, Flat #6, Black Oxide Steel

Magnetic Fixture System II Set, Small, Birch Plywood, No Magnets

- (4) Clamp Pad, 5/8" x 7/8", Hardwood
- (6) Fixture, 1-1/2" 4-Magnet Birch Plywood
- (4) Fixture, 2-1/2" 4-Magnet Birch Plywood
- (4) Fixture, 3-1/2" 4-Magnet Birch Plywood
- (1) Hex Key, 7/64" Black Oxide Steel
- (1) Instructions, Magnetic Fixture System II
- (8) Nut, 6-32 Hex, Black Oxide Steel
- (1) Sanding Block, 180/220 Dual-Grit
- (4) Screw, 10-24 x 1-5/8" Machine, Hex Head, Black Oxide Steel
- (4) Screw, 10-24 x 1-5/8" Machine, Pan Head Phillips, Zinc Plated Steel
- (2) Screw, 10-24 x 2-1/2" Machine, Pan Head Phillips, Zinc Plated Steel
- (8) Screw, 6-32 x 5/8" Machine, Socket Cap Black Oxide Steel
- (4) Vertical Press, Hardwood
- (16) Washer, Flat #6, Black Oxide Steel

Magnetic Fixture System II Set, Small/Medium, Birch Plywood, No Magnets

- (6) Clamp Pad, 5/8" x 7/8", Hardwood
- (6) Fixture, 1-1/2" 4-Magnet Birch Plywood
- (6) Fixture, 2-1/2" 4-Magnet Birch Plywood
- (4) Fixture, 3-1/2" 4-Magnet Birch Plywood
- (4) Fixture, 5-1/2" 4-Magnet Birch Plywood
- (1) Hex Key, 7/64" Black Oxide Steel
- (1) Instructions, Magnetic Fixture System II
- (12) Nut, 6-32 Hex, Black Oxide Steel
- (1) Sanding Block, 180/220 Dual-Grit
- (6) Screw, 10-24 x 1-5/8" Machine, Hex Head, Black Oxide Steel
- (4) Screw, 10-24 x 1-5/8" Machine, Pan Head Phillips, Zinc Plated Steel
- (2) Screw, 10-24 x 2-1/2" Machine, Pan Head Phillips, Zinc Plated Steel
- (12) Screw, 6-32 x 5/8" Machine, Socket Cap Black Oxide Steel
- (6) Vertical Press, Hardwood
- (24) Washer, Flat #6, Black Oxide Steel

Magnetic Fixture System II Set, Medium, Birch Plywood, No Magnets

- (6) Clamp Pad, 5/8" x 7/8", Hardwood
- (6) Fixture, 1-1/2" 4-Magnet Birch Plywood
- (6) Fixture, 2-1/2" 4-Magnet Birch Plywood
- (4) Fixture, 3-1/2" 4-Magnet Birch Plywood
- (4) Fixture, 5-1/2" 4-Magnet Birch Plywood
- (2) Fixture, 7-1/2" 6-Magnet Birch Plywood
- (1) Hex Key, 7/64" Black Oxide Steel
- (1) Instructions, Magnetic Fixture System II
- (12) Nut, 6-32 Hex, Black Oxide Steel
- (1) Sanding Block, 180/220 Dual-Grit
- (6) Screw, 10-24 x 1-5/8" Machine, Hex Head, Black Oxide Steel
- (4) Screw, 10-24 x 1-5/8" Machine, Pan Head Phillips, Zinc Plated Steel
- (2) Screw, 10-24 x 2-1/2" Machine, Pan Head Phillips, Zinc Plated Steel
- (12) Screw, 6-32 x 5/8" Machine, Socket Cap Black Oxide Steel
- (6) Vertical Press, Hardwood
- (24) Washer, Flat #6, Black Oxide Steel

Magnetic Fixture System II Set, Standard, Birch Plywood, No Magnets

- (8) Clamp Pad, 5/8" x 7/8", Hardwood
- (2) Fixture Extension, 5" Plywood
- (6) Fixture, 1-1/2" 4-Magnet Birch Plywood
- (4) Fixture, 2-1/2" 4-Magnet Birch Plywood
- (4) Fixture, 3-1/2" 4-Magnet Birch Plywood
- (4) Fixture, 5-1/2" 4-Magnet Birch Plywood
- (6) Fixture, 7-1/2" 6-Magnet Birch Plywood
- (1) Hex Key, 7/64" Black Oxide Steel
- (1) Instructions, Magnetic Fixture System II
- (24) Nut, 6-32 Hex, Black Oxide Steel
- (1) Sanding Block, 180/220 Dual-Grit
- (8) Screw, 10-24 x 1-5/8" Machine, Hex Head, Black Oxide Steel
- (4) Screw, 10-24 x 1-5/8" Machine, Pan Head Phillips, Zinc Plated Steel
- (2) Screw, 10-24 x 2-1/2" Machine, Pan Head Phillips, Zinc Plated Steel
- (4) Screw, 6-32 x 3/4" Machine, Socket Cap, Black Oxide Steel
- (24) Screw, 6-32 x 5/8" Machine, Socket Cap Black Oxide Steel
- (8) Vertical Press, Hardwood
- (48) Washer, Flat #6, Black Oxide Steel

Magnetic Fixture System II Set, Large, Birch Plywood, No Magnets

- (12) Clamp Pad, 5/8" x 7/8", Hardwood
- (4) Fixture Extension, 5" Plywood
- (6) Fixture, 1-1/2" 4-Magnet Birch Plywood
- (4) Fixture, 2-1/2" 4-Magnet Birch Plywood
- (4) Fixture, 3-1/2" 4-Magnet Birch Plywood
- (4) Fixture, 5-1/2" 4-Magnet Birch Plywood
- (8) Fixture, 7-1/2" 6-Magnet Birch Plywood
- (1) Hex Key, 7/64" Black Oxide Steel
- (1) Instructions, Magnetic Fixture System II
- (40) Nut, 6-32 Hex, Black Oxide Steel
- (1) Sanding Block, 180/220 Dual-Grit
- (12) Screw, 10-24 x 1-5/8" Machine, Hex Head, Black Oxide Steel
- (4) Screw, 10-24 x 1-5/8" Machine, Pan Head Phillips, Zinc Plated Steel
- (2) Screw, 10-24 x 2-1/2" Machine, Pan Head Phillips, Zinc Plated Steel
- (8) Screw, 6-32 x 3/4" Machine, Socket Cap, Black Oxide Steel
- (40) Screw, 6-32 x 5/8" Machine, Socket Cap Black Oxide Steel
- (12) Vertical Press, Hardwood
- (80) Washer, Flat #6, Black Oxide Steel

Fixture, 1-1/2" 4-Magnet Assembly, Birch Plywood (1 Pair)

- (2) Fixture, 1-1/2" 4-Magnet Birch Plywood
- (8) Latch Magnet Assembly
- (4) Nut, 10-24 Hex, Zinc Plated Steel
- (4) Screw, 10-24 x 1" Machine, Pan Head Phillips, Zinc Plated Steel

Fixture, 2-1/2" 4-Magnet Assembly, Birch Plywood (1 Pair)

- (2) Fixture, 2-1/2" 4-Magnet Birch Plywood
- (8) Latch Magnet Assembly
- (4) Nut, 10-24 Hex, Zinc Plated Steel
- (4) Screw, 10-24 x 1" Machine, Pan Head Phillips, Zinc Plated Steel

Fixture, 3-1/2" 4-Magnet Assembly, Birch Plywood (1 Pair)

- (2) Fixture, 3-1/2" 4-Magnet Birch Plywood
- (8) Latch Magnet Assembly
- (4) Nut, 10-24 Hex, Zinc Plated Steel
- (4) Screw, 10-24 x 1" Machine, Pan Head Phillips, Zinc Plated Steel

Fixture, 5-1/2" 4-Magnet Assembly, Birch Plywood (1 Pair)

- (2) Fixture, 5-1/2" 4-Magnet Birch Plywood
- (8) Latch Magnet Assembly
- (4) Nut, 10-24 Hex, Zinc Plated Steel
- (4) Screw, 10-24 x 1" Machine, Pan Head Phillips, Zinc Plated Steel

Fixture, 7-1/2" 6-Magnet Assembly, Birch Plywood (1 Pair)

- (2) Fixture, 7-1/2" 6-Magnet Birch Plywood
- (12) Latch Magnet Assembly
- (6) Nut, 10-24 Hex, Zinc Plated Steel
- (6) Screw, 10-24 x 1" Machine, Pan Head Phillips, Zinc Plated Steel

Fixture, 7-1/2" 6-Magnet Assembly w/5" Extensions, Birch Plywood (1 Pair)

- (2) Fixture Extension, 5" Plywood
- (2) Fixture, 7-1/2" 6-Magnet Birch Plywood
- (12) Latch Magnet Assembly
- (6) Nut, 10-24 Hex, Zinc Plated Steel
- (8) Nut, 6-32 Hex, Black Oxide Steel
- (6) Screw, 10-24 x 1" Machine, Pan Head Phillips, Zinc Plated Steel
- (4) Screw, 6-32 x 3/4" Machine, Socket Cap, Black Oxide Steel
- (8) Screw, 6-32 x 5/8" Machine, Socket Cap Black Oxide Steel
- (16) Washer, Flat #6, Black Oxide Steel

Fixture Extension Assembly, 5", Birch Plywood (1 Pair)

- (2) Fixture Extension, 5" Plywood
- (8) Nut, 6-32 Hex, Black Oxide Steel
- (4) Screw, 6-32 x 3/4" Machine, Socket Cap, Black Oxide Steel
- (8) Screw, 6-32 x 5/8" Machine, Socket Cap Black Oxide Steel
- (16) Washer, Flat #6, Black Oxide Steel

Vertical Press Assembly, Hardwood (1 Pair)

- (2) Clamp Pad, 5/8" x 7/8", Hardwood
- (4) Nut, 6-32 Hex, Black Oxide Steel
- (2) Screw, 10-24 x 1-5/8" Machine, Hex Head, Black Oxide Steel
- (4) Screw, 6-32 x 5/8" Machine, Socket Cap Black Oxide Steel
- (2) Vertical Press, Hardwood
- (8) Washer, Flat #6, Black Oxide Steel

Face Clamp Assembly, Maple (1 Pair)

- (1) Clamp Head, 1-1/4" Left, Maple
- (1) Clamp Head, 1-1/4" Right, Maple
- (2) Face Clamp Base, Maple
- (2) Nut, 6-32 T, Plated Steel
- (4) Screw, #6 x 1/2" Sheet Metal, Black Oxide Steel
- (2) Screw, 10-32 x 3/8" Machine Thumb, Nylon
- (2) Screw, 6-32 x 1/2" Machine, Socket Cap, Black Oxide Steel
- (2) Tube, 3/16" x 2" Brass
- (6) Washer, Flat #6, Black Oxide Steel

Vertical Press Mounting Hardware (Mounts 4 Vertical Presses)

- (8) Nut, 6-32 Hex, Black Oxide Steel
- (8) Screw, 6-32 x 5/8" Machine, Socket Cap Black Oxide Steel
- (16) Washer, Flat #6, Black Oxide Steel

Magnet Mounting Hardware (Six 4-Magnet or Four 6-Magnet Fixtures)

- (12) Nut, 10-24 Hex, Zinc Plated Steel
- (12) Screw, 10-24 x 1" Machine, Pan Head Phillips, Zinc Plated Steel